Integrated User Interface for Utilization of Research Reactor


Kwangsub Jung*, Younghan Kim, Jinho Oh


Korea Atomic Energy Research Institute

Korean Nuclear Society Autumn Meeting
Dec 17-18, 2020

Introduction

- Difficulties in remote handling of RI targets in research reactor
- The operating procedures and equipment are different depending on the type of radioisotope (RI).
- It is difficult to check the loading stage of the target.







Interface concept

- Displays information related to the operation in the research reactor pool for RI production.
- Consists of a display device and a control panel.
- Receive position and speed data from transport devices.
- Provide the operation status as visualized information to the worker.

• Display (1)

- The operator can choose the work type and work status.
- Show information and screen layout according to the selected work type.
- Position and speed of the crane hoist.
- Storage position of handling tools, racks and other facilities.
- Current position and speed of the RI target are easily checked.






Display layout of pool for horizontal transport

Display layout of pool for vertical transport

Display (2)


- Path of the handling tool and target on a schematic vertical section of the reactor when the target moves inside the reactor.
- Current loading stage of the RI target.




Display layout of reactor for vertical target loading

Display (3)

- Work status is shown in different view when the status is selected from the menu.
- Horizontal position of each irradiation location.
- Irradiation time for each irradiation hole.
- Storage status of rigs in the rack.





Display layout of irradiation holes for target loading

Control Panel

- Control panel and display device are installed on the operation bridge.
- Receive position and speed data from the control panel of crane hoist and target loading device.

Expectations

- Increase the efficiency of RI handling work.
- Prevent accidents induced by human error.
- Can be applied to the current research reactor without major changes.
- Help education of operators or visitors.